

SAFETY DATA SHEET



11720 Main Street Fredericksburg, Virginia 22408 540.940.6698 info@squeezeyourtrigger.com www.squeezeyourtrigger.com

1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

1.1 - Product identifier Name: MACH 5

1.2 - Application of the substance / the mixture: Epoxy Coating

1.3 - Details of the supplier of the Safety Data Sheet:

BallistiX Coatings & Sealers 11720 Main Street Fredericksburg, VA 22408 United States Phone: (540).940.6698



1.4 - Emergency telephone number:

ChemTel Inc. (800) 255-3924, +1 (813) 248-0585

2 - HAZARDS IDENTIFICATION

2.1 - GHS Classification of the substance or mixture

Skin Irritant 2; H315: Causes skin irritation. Eye Irritant 2; H319: Causes serious eye irritation. Skin Sensitizer 1; H317: May cause and allergic skin reaction.

2.2 - GHS Label elements Hazard pictograms/symbols



Signal word: Warning

Hazard statements:

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H317: May cause and allergic skin reaction.

Precautionary statements:

P280: wear protective gloves / eye protection.

P273: Avoid release to the environment.

P264: Wash thoroughly after handling.

P261: Avoid breathing mist/vapours/spray.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do .Continue rinsing.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P337+P313: If eye irritation persists: Get medical advice/attention.

PSS/+PSIS. If eye initiation persists, Get medical advice/attention.

Additional information: Contains epoxy constituents. May produce an allergic reaction.

HMIS Rating:

Health: 2 Flammability: 1 Physical Hazard: 0





PRODUCT NAME

11720 Main Street Fredericksburg, Virginia 22408 540.940.6698 info@squeezeyourtrigger.com www.squeezeyourtrigger.com

3 - COMPOSITION/INFORMATION ON INGREDIENTS

3.2 - Mixture

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 25068-38-6 - Reaction product: bisphenol - A- (epichlorhydrin) epoxy resin (number average molecular weight<700). 80%

In conformity with 29CFR 1910.1200(i) the specific chemical identity may be withheld as Trade Secret, while all health/safety properties and effects are included in the SDS.

4 - FIRST AID MEASURES

4.1 - Description of first aid measures

General information: Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. Take affected persons out into the fresh air.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Immediately rinse with water. If skin irritation continues, consult a doctor.

After eye contact: Remove contact lenses if worn, if possible. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Rinse out mouth and then drink plenty of water. Do not Induce vomiting; call for medical help immediately.

4.2 - Most important symptoms and effects, both acute and delayed: Allergic reactions. Nausea. Coughing. Gastric or intestinal disorders. Irritant to skin and mucous membranes. Irritant to eyes.

4.3 - Indication of any immediate medical attention and special treatment needed: Contains reaction product: bisphenol- A- (epichlorhydrin) epoxy resin (number average molecular weight < 700). May produce an allergic reaction, if necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Medical supervision for at least 48 hours.

5 - FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing agents: Water haze or fog. Foam. Fire-extinguishing powder. Carbon dioxide.

For safety reasons unsuitable extinguishing agents: Water with full jet, Water spray

5.2 - Special hazards arising from the substance or mixture: Formation of toxic gases is possible during heating or in case of fire.

5.3 - Advice for the firefighters

Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit.

Additional information: Cool endangered receptacles with water fog or haze. Eliminate all ignition sources if safe to do so.



PROBUCT NAME

11720 Main Street Fredericksburg, Virginia 22408 540.940.6698 info@squeezeyourtrigger.com www.squeezeyourtrigger.com

6 - ACCIDENTAL RELEASE MEASURES

6.1 - Personal precautions, protective equipment and emergency procedures: Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources.

6.2 - Environmental precautions: Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system. Prevent from spreading (e.g. by damming-in or oil barriers).

6.3 - Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material. Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

7 - HANDLING AND STORAGE

7.1 - Precautions for safe handling: Use only in well-ventilated areas. Store in cool, dry place in tightly closed receptacles (60-80°F recommended).

7.2 - Conditions for safe storage, including any incompatibilities: Use only receptacles specifically permitted for this substance/product. Avoid storage near extreme heat, ignition sources or open flame.

Further Information about storage conditions: Keep container tightly sealed. Store in an area with adequate ventilation.

8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs: No further relevant information available. **PNECs:** No further relevant information available.

Additional information: The lists valid during the making were used as basis.

8.2 - Engineering controls Provide readily accessible eye wash stations and safety showers. Provide ventilation adequate to ensure concentrations are minimized.

8.3 - Personal protective equipment

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

Respiratory protection: Not required under normal conditions of use. Use suitable respiratory protective device in case of insufficient ventilation. For spills, respiratory protection may be advisable. Use respiratory protection when grinding or cutting material.

Hand protection: Protective, impervious gloves. (Neoprene, PVC, Nitrile rubber) The glove material has to be impermeable and resistant to the product / the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Eye protection: Safety glasses with side shields. Contact lenses should not be worn.

Skin and Body protection: Protective work clothing. Where potential exposure warrants, rubber or plastic boots and chemically resistant protective suit.



11720 Main Street

540.940.6698

Fredericksburg, Virginia 22408

info@squeezeyourtrigger.com

www.squeezeyourtrigger.com

PRODUCT NAME

9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 - Information on basic physical and chemical properties

General Information:

Appearance Form: Color: Odor: Odor threshold: pH: Melting point/range: Boiling point/range: Flash point: **Evaporation rate:** Flammability (solid, gaseous): Upper/lower flammability or explosive limit: Vapor pressure: Vapor density: Relative Density at 20°C: Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Auto/Self-ignition temperature: **Decomposition temperature:** Viscosity

Colorless Sweet No data available No data available No data available >392 °F / >200 °C >302 °F / >150 °C No data available Not applicable Not applicable No data available No data available 1.16 g/cm3 Not miscible or difficult to mix. No data available No data available No data available 11,000 - 15,000 cps

10 - STABILITY AND REACTIVITY

10.1 - Reactivity

10.2 - Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.

10.3 - Possibility of hazardous reactions: Reacts with strong alkali. Exothermic polymerization. Reacts with strong acids and oxidizing agents. Reacts with catalysts.

Liquid

10.4 Conditions to avoid: Avoid contact with strong oxidizing agents, excessive heat or flames.

10.5 Incompatible materials: Strong acids, bases and oxidizing agents.

10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide.



PRODUCT NAME

11720 Main Street Fredericksburg, Virginia 22408 540.940.6698 info@squeezeyourtrigger.com www.squeezeyourtrigger.com

11 - TOXICOLOGICAL INFORMATION

11.1 - Information on likely routes of exposure:

Inhalation: May cause respiratory irritation Ingestion: No data Skin contact: May cause skin irritation Eye contact: May cause eye irritation

11.2 - Symptoms related to physical, chemical and toxicological characteristics: No available data

11.3 - Delayed and immediate effects as well as chronic effects from short and long-term exposure: (Data for primary component, Reaction product: bisphenol - A- (epichlorhydrin) epoxy resin)

Acute Toxic:

Oral - LD50 > 2,000 mg/kg (rat) Dermal - LD50 > 2,000 mg/kg (rat) Inhalation - No Data

Skin Corrosive/Irritant: Test material was slightly irritating to skin in key studies. For the skin, mean erythema and edema scores were 0.8 and 0.5 respectively.

Serious eye damage/eye irritation: Test material was slightly irritating to the eye in key studies. The mean eye score was 0.4

Respiratory sensitization: No data available

Skin sensitization: In a local lymph node assay, the concentration that would cause a 3-fold increase in proliferation (EC-3) was calculated to be 5.7% which is consistent with moderate dermal sensitization potential.

11.4 - Numerical measures of toxicity: No data available for mixture.

Additional toxicological information: The product shows the following dangers according to the calculation method of the General EU, Classification Guidelines for Preparations as issued in the latest version: Irritant, Danger through skin absorption. Toxic and /or corrosive effects may be delayed up to 24 hours. Inhalation of concentrated vapours as well as oral intake will lead to anesthesia-like conditions and headache, dizziness, etc.

12 - ECOLOGICAL INFORMATION

12.1 - Toxicity

Aquatic toxicity:

(Data taken from SDS of primary component, Reaction product: bisphenol - A- (epichlorhydrin) epoxy resin) **Fish -** 96hr-LC50 = 3.6mg/L test mat. Oncorhynchus mykiss (direct application, nominal) (OECD Guideline 203) LC50 1.41 mg/L 96hr Oryzias latipes

Crustacea - 48hr-EC50 = 2.8mg/L test mat Daphnia magna (direct application, nominal, based on: mobility) (OECD Guideline 202) EC50 1.7mg/L 48hr

Aquatic Plant - 72hr-EC50 > 11 mg/L Scenedesmus capricornutum water soluble fraction (meas. (arithm. mean)) based on: growth rate (EPA-660/3-75-009)

12.2 - Persistence and degradability: No data available.

- **12.3 Bioaccumulative potential:** No further relevant information available.
- 12.4 Mobility in soil: No further relevant information available.
- 12.5 Results of PBT and vPvB assessment:
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects: No further relevant information available



PRODUCT NAME

11720 Main Street Fredericksburg, Virginia 22408 540.940.6698 info@squeezeyourtrigger.com www.squeezeyourtrigger.com

13 - DISPOSAL CONSIDERATIONS

13.1 - Waste treatment methods

Waste from residue/unused product: This product should not be allowed to enter drains, water courses or the soil. Dispose of this material in a safe manner and in accordance with federal, state and local regulations

Contaminated packaging: Disposal must be made in accordance with official federal, state and local regulations.

14 - TRANSPORT INFORMATION

DOT - UN Number: Not Regulated IATA - UN Number: Not Regulated IMDG - UN Number: Not Regulated TDG - UN Number: Not Regulated

15 - REGULATORY INFORMATION

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

United States (USA)

<u>SARA</u>

Section 355 (extremely hazardous substances): None of the ingredients is listed. Section 313 (Specific toxic chemical listings): Component(s) above 'de minimus' level: None TSCA (Toxic Substances Control Act): All the ingredients are listed.

<u>Proposition 65 (California):</u> Chemicals known to cause cancer: None

<u>Canada</u>

Canadian Domestic Substances List (DSL): All ingredients are listed. Canadian Ingredient Disclosure list (limit 0.1%) None of the ingredients is listed. Canadian Ingredient Disclosure list (limit 1%) None of the ingredients is listed.

15.2 - Chemical Safety assessment: A Chemical Safety Assessment has not been carried out.

16 - OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviation and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienist. EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substance CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada)

(c) 2022 BallistiX Coatings & Sealers 11.16.22

Page 6